

NO : CBSE/3630288/EX-03816-2223/2022-23/

Dated: 29/07/2021

**The Manager,
ACADEMIC HEIGHTS PUBLIC SCHOOL MEDAK TL
ACADEMIC HEIGHTS PUBLIC SCHOOL, KISTAREDDYPET VILLAGE, AMEENPUR MANDAL
TELANGANA, MEDAK, 502032
(M: 91-9818390022)**

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level .

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	3630288
School No	57804
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

“The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be

renewed from time to time as per norms”.

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
<p>• The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.</p>				
<p>• The number of sections and students shall be restricted as per the actual facilities in the school.</p>				
<p>• For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet</p>				




00EE 11226067

GOVERNMENT OF ANDHRA PRADESH
REGISTRATION AND STAMPS DEPARTMENT
THE REGISTRAR OF SOCIETIES
MEDAK

Certificate of Registration

(No : 278 of 2014)

I hereby certify that 'DEEKSHA BEERAMGUDA EDUCATIONAL SOCIETY' , Plot No 2,3/ Ksr Nri Anand Nagarresidency/ Beeramguda/ Patancheru/ Medak/ Andhra Pradesh/ India/ on this day registered under the Andhra Pradesh Societies Registration Act., 2001



REGISTRAR OF SOCIETIES
MEDAK

MEDAK

Date : 10/Apr/2014
Signature valid

Digitally signed
by [Signature]
BA [Signature]
Date: 10.04.10
12:03:54 IST

Note: This is a Digitally Signed Certificate, does not require physical signature. And this certificate can be verified at <http://www.meeseva.gov.in/> by furnishing the application number mentioned in the Certificate.

GOVERNMENT OF TELANGANA
SCHOOL EDUCATION (GENL) DEPARTMENT

Letter.No.123/SE.Genl/A2/2019

Dated:12.03.2019

From
The Secretary to Government,
School Education Department,
D-block, Ground Floor,
Telangana Secretariat, Hyderabad-28

To
The Secretary,
Central Board of Secondary Education,
Shiksha Kendra, 2, Community Centre,
Preet Vihar,
New Delhi – 110 092 (we).

Sir,


Sub:- School Education Dept - Private Schools – Issue of No Objection Certificate to Academic Heights School, Kistareddypet (V), Ameenpur Mandal, Sangareddy District for the Classes PP to VIII (EM) for the Academic Year, 2018-19, for CBSE affiliation– Regarding.

Ref:- From the Director of School Education, Telangana, Hyderabad, Lr.Rc.No.681/Plg.2/2018, dt:05.01.2019.

I am to forward herewith the proposals, in original, received in the reference cited and to inform you that this Government has **“No Objection”**, for the affiliation of CBSE, New Delhi, to be granted for the Classes PP to VIII (EM) during the Academic Year, 2018-2019, to **“Academic Heights School, Kistareddypet (V), Ameenpur Mandal, Sangareddy District”**, subject to the following conditions:-

- The Educational agency shall submit the Annual Administration Report in the prescribed proforma as prescribed in G.O.Ms.No.1 Education, Dated 01.01.1994, to the competent authority for every financial year by 30th of September at the latest. Such Report shall be supported by the audited statement of accounts of the school duly audited by a Chartered Accountant.
- The School Management shall upload their school information in the web site of the State School Education department including their fees details and other required information useful to the parents.
- The Management should follow the provisions of the Telangana Education Act, 1982; G.O.Ms.No.1, Education (PS.2) Department, dt.01.01.1994, as amended from time to time and Compulsory Teaching and Learning of Telugu as per the provisions of the Act No.10 of 2018, dt.30.03.2018, which came into force from 02.04.2018 and the connected Rules to this Act issued vide G.O.Ms.No.15, School Education (Prog.II) Department, dt. 01.06.2018. The Government have also prescribed the books to be introduced for Classes I and VI which have to be followed for the Compulsory Teaching & Learning of Telugu language as per this Act 10 of 2018 & the connected Rules.

Yours faithfully,



For Secretary to Government,

Copy to:

The Director of School Education, Telangana, Hyderabad.
The District Educational Officer, Sangareddy District.
The Correspondent, Academic Heights School, Kistareddypet (V),
Ameenpur Mandal, Sangareddy District.

SF/SC.

PROCEEDINGS OF THE DISTRICT EDUCATIONAL OFFICER : : SANGAREDDY DISTRICT

Present: Smt I.Vijaya kumari, M.A.B.Ed.

Rc. No. 4712/B8/2017

Dated:22.06.2017

Sub: Elementary Education - Private Un aided - Granting of Provisional Temporary Recognition to Classes Nursery to VII (E/M) during 2017-2018 to 2026-2027 in respect of Academic Heights Public School, Kistareddypet (V), Ameenpur M) Sangareddy District - Orders - Issued.

Ref: 1. Procs.Rc.No.14315/B8(B5)/2015, Dt:30.03.2017 of the DEO-Sangareddy.
2. MEO Ameenpur, Lr. No. 1462/MEO AMPUR/2017, dt.20.06.2017.
3. GO Ms.No. 1 Edn. (PS.2) Dept. Dated: 01.01.1994
4. GO Ms.No. 41 Edn. Dated: 11.05.2006
5. GO Ms.No. 74 Edn. Dated: 11.10.2006

----- x -----

The Permission has been accorded to the Classes Nursery to VII (E/M) for the years 2017-2018 in respect Academic Heights Public School, Kistareddypet (V), Ameenpur M) Sangareddy District in the orders 1st cited. The inspecting authority i.e., Mandal Educational Officer, Ameenpur has submitted the report for Provisional Temporary Recognition to the school for the years 2017-2018 to 2026-2027 to classes Nursery to VII (E/M) vide letter 2nd cited. The Mandal Educational Officer Ameenpur has verified the application for Provisional Temporary Recognition with reference to the conditions laid down in the Permission orders and G.O. Ms. No. 1 Edn. (PS.2) Dept. Dt:01.01.1994 and submitted a report in his letter 2nd cited.


The management has applied for Provisional Temporary Recognition through online i.e., www.cdse.telangana.gov.in vide reference no 20170617153838.

After careful examination of the references cited and the conditions prescribed in GO Ms. No. 1 Edn. (PS. 2) Dept. Dt. 01.01.1994, GO Ms.No. 41 Edn. Dated: 11.05.2006 and G.O. Ms. No. 74 Edn. Dated: 11.10.2006, the Dist. Educational Officer Sangareddy hereby accorded Provisional Temporary Recognition to classes Nursery to VII (E/M) for the years 2017-2018 to 2026-2027 in respect of Academic Heights Public School, Kistareddypet (V), Ameenpur (M) Sangareddy District subject to fulfillment of conditions as detailed below:

1. That the Educational Society shall abide by the instructions/rules issued by the Government from time to time.
2. That the educational society shall serve the needs of locality more particularly.
3. That the institution shall adopt the curriculum and syllabus prescribed from time to time.
4. That the school timings, vacations and mid term holidays shall be as prescribed by Government from time to time.
5. That the qualified staff within age limits prescribed by the Government for Government employees shall appointed as per the staff pattern as per GO Ms. No. 103 Edn. (PS), Dated: 05.08.2005.
6. That the records/accounts shall be furnished to the DEO every year by 31st March, at the latest.
7. That the list of governing body shall be furnished to the DEO every year.
8. That the pay structure/fee structure fixed by the governing body shall be got approved by the DEO every year.
9. That all the conditions prescribed in G.Os and other orders which are not specified in this order shall complied with.
10. That the School shall not closed with out giving notice both the parents/DEO and competent authority at least (6) months before.
11. That the school shall be closed or permitted to be closed only from the date on which summer vacation is declared.

12. The society shall submit proposals for renewal of provisional recognition sufficiently in advance i.e., at least (6) months prior to the date of expiry of the renewal.
13. That additional sections/higher classes should not be opened without prior permission of the competent authority.
14. That the recognition is accorded to society and no other society or body can open a school on their behalf.
15. That recognition is accorded to open the school premises in the locality and there shall not be any change in the premises or locality.
16. That society shall provide, the necessary material even if it costs more than the deposit amount.
17. Admission should be made on the basis Record Sheet issued by the private Recognized/ZP/Govt. Aided Schools only TCs/certificates issued by the Secretary, DCEB as Bonafied candidate.
18. The Educational Society shall file an affidavit to the effect that there is no deviation or violation of norms/rules prescribed by Government from time to time by the end of April every year as per reference 5th cited.
19. The above P.T.R is granted Subject to Condition that, If is found later that the school has not fulfilled the prerequisite condition under A.P.Edn.Act.1982, reported by State Level Inspection Team and Vigilance Committee, the P.T.R. now being granted is liable to withdrawan at once.
20. The Management shall provide sufficient transportation, sufficient fire extinguishers in the school.
21. The Management is totally responsible in all aspects for the safety of school children they will be personally held responsible if any incident occurs.
22. The Management shall handover the school premises whenever required to this Dept./Govt. for emergency purpose(Exams/Elections etc.,) without any deviation of the orders.
23. Subject to the conditions that the Management is instructed to obtained the No Objection Certificate Fire from Fire Dept.

The recognition now granted is liable for withdrawal by the competent authority for violating the rule as prescribed in the GO 3rd cited and instructions issued by the authority form time to time.


District Educational Officer,
Sangareddy
22/6/17

To:
The Correspondent, Academic Heights Public School, Kistareddypet (V), Ameenpur (M), Sangareddy District.
Copy to the Mandal Educational Officer, Ameenpur
Copy submitted to the RJDSE Hyderabad for information.
Copy submitted to the C&DSE TS Hyderabad for information.

PROCEEDINGS OF THE REGIONAL JOINT DIRECTOR OF SCHOOL EDUCATION::HYD.

Present:: Smt.S.VIJAYALAXMI BAI, M.A.B.Ed

L.Dis.No.954/B3/2018

Date: 29.03.2018

Sub:- Secondary Education - E.M- Private-Unaided - Granting of Provisional Recognition to Class (s) VIII (E.M) for the period from 2018-2019 to 2022-2023 in respect of Academic Heights School, Kistareddypet (V), Ameenpur (M), Sanga Reddy Dist. - Orders - Issued.

Ref:- 1.Orders of the Permission of the competent authority in Procs.Rc.No.504/B3/2018, dt 12.02.2018 of the RJDSE,Hyd
2.Application of Correspondent concerned.
3.D.E.O. Sanga Reddy District Lr.Rc.No.1118/B8/2018, dt 03.03.2018
4.G.O Ms.No.1Edn,(PS.2)Dept,dt.01.01.1994.
5.G.O Rt.No.730/ Edn,(S.E-P.S-1)Dept, Dt:29.09.2008.
6.G.O.Ms.No.74 Edn,(PS.2)Dept, Dt:11.09.2006

-\$\$\$-

Permission has been accorded to the Class (s) VIII (E.M) for the period 2018-2019 in respect of Academic Heights School, Kistareddypet (V), Ameenpur (M), Sanga Reddy Dist. in the orders first cited. The inspecting authority i.e.,D.E.O. , Sanga Reddy Dist. has submitted the report for Provisional Recognition to the school for the year 2018-2019 to 2022-2023 vide letter reference 3rd cited, and also with reference to the conditions laid down in the permission order/previous recognition orders and G.O Ms.No.1Edn, (PS.2) Dept, dt.01.01.1994.

After careful examination of the references cited and the conditions prescribed in G.O. Ms. No.1/Edn, (PS.2) Dept, dt.01.01.1994 and in continuation of this office proceedings under reference 1st cited, the Regional Joint Director of School Education, Hyderabad hereby accorded Provisional Recognition to Class(s) VIII (E.M) from the years 2018-2019 to 2022-2023 in respect of Academic Heights School, Kistareddypet (V), Ameenpur (M), Sanga Reddy Dist. subject to fulfillment of conditions as detailed below:

01. That the Educational Society shall abide by the instructions/rules issued by the Govt. from time to time.
02. That the educational Society shall serve the needs of locality more particularly.
03. That the institution shall adopt the curriculum and syllabus prescribed from time to time by the State Government.
04. That the school timings, vacations and mid-term holidays shall be as prescribed by Govt. from time to time.
05. That the qualified staff within age limits prescribed by the Govt. for Government employees shall be appointed as per the staff pattern as per G.O Ms.No. 103 Edn (PS), dt.05-08-2005.
06. That the results shall be satisfactory every year and not to be announce the ranks in SSC Public Examinations as per the G.O Ms.No.49 Edn. (PS), dt.26.02.98.
07. That the records/accounts shall be furnished to the D.E.O every year by 31st March, at the latest.
08. That the list of governing body shall be furnished to the DEO every year.
09. That the pay structure / fee structure fixed by the governing body shall be got approved by the DEO every year.

[P.T.O]

10. That all the conditions prescribed in G.Os and other orders which are not specified in this order shall be complied with.
11. That the school shall not be closed without giving notice both the Parents/DEO and competent authority at least (6) months before.
12. That the school shall be closed or permitted to be closed only from the date on which summer vacation is declared.
13. That the society shall submit proposals for renewal of provisional recognition sufficiently in advance i.e., at least (6) months prior to the date of expiry of the renewal.
14. That additional sections/higher classes should not be opened without prior permission of the competent authority.
15. That the recognition is accorded to society and no other society or body can open a school on their behalf.
16. The recognition is accorded to open the school premises in the locality and there shall not be any change in the premises or locality.
17. The society shall provide, the necessary material even if it costs more than the deposit amount.
18. Admissions should be made on the basis Record sheet issued by the Private Recognized/ZP/Govt/Aided schools only T.Cs/Certificates issued by the Secretary, DCEB as Bona-fied candidate.
19. The Edn.Society shall file an affidavit to the effect that there is no deviation or violation of norms/rules prescribed by Govt. from time to time by the end of April every year as per G.O.6th cited.
20. The above E.T.R. is granted subject to condition that, If it is found later that the school has not fulfilled the prerequisite condition under A.P.Edn. Act 1982, reported by State Level Inspection Team and Vigilance Committee, the E.T.R. now being granted is liable to be withdrawn at once.
21. The Management shall provide sufficient transportation, sufficient fire extinguishers in the school.
22. The Management is totally responsible in all aspects for the safety of school children. They will be personally held responsible if any incident occurs.
23. The Management shall handover the school premises whenever required to this department / Government for emergency purpose (Exams/ Elections etc.,) without any deviation of the orders.
24. The Management should renew Fire (NOC) time to time without fail.


The recognition now granted is liable for withdrawal by the competent authority for violating the rule as prescribed in the G.O 5th cited and instructions issued by the authority from time to time.

Sd/-S.VIJAYALAXMI BAI,
REGIONAL JOINT DIRECTOR OF
SCHOOL EDUCATION, HYDERABAD.

To

1. The Correspondent,
School Name: Academic Heights School, Kistareddypet (V), Ameenpur (M), Sanga Reddy Dist.
(Edn.Society: Deeksha Beeramguda Educational Society, Regd.No.278 of 2014)
H.No.: (M) Dist.Sanga Reddy.
2. Copy to the District Educational Officer, Sanga Reddy Dist.
3. Copy to the Director of Govt.Exams, Chapel Road, Hyderabad.
4. Copy submitted to the Director of School Education, Telangana, Hyderabad.

//TRUE COPY ATTESTED//


for REGIONAL JOINT DIRECTOR OF
SCHOOL EDUCATION, HYDERABAD.
2113

Date: 05-06-2018.

STRUCTURAL SOUNDNESS CERTIFICATE

This is to certify that the premises of Academic Heights Public School, Sy.No:78 to 99, Patelguda, Kistareddypet Village, Ameenpur(M), Sanga Reddy District are running the school structurally sound and safe. This Building is newly constructed and having sufficient number of R.C.C. Rooms and are in sound, lighted and ventilated condition. The above premises are structurally sound and safe for 10Years if well maintain.

Date: 05-06-2018.

Place: Hyderabad.

Heef
7/5/6/18
Executive Engineer
Greater Hyderabad Municipal Corporation

CERTIFICATE

It is to certify that the ACADEMIC HEIGHTS PUBLIC SCHOOL located at Kistareddypet(V), Ameenpur(M), Sangareddy District run by DEEKSHA BEERAMGUDA EDUCATIONAL SOCIETY is recognized by the state Government of Telangana.

Further the school is paying its staff pay scaled, DA, HRA and other allowances as admissible and as par with state Govt. norms(or similar category of employees) through ECS/Bank transfer. Also, school has provided various employee benefits like ESI, EPF etc. to its staff Members.


Signature & Stamp
District Educational Officer
District Education Officer
SANGAREDDY.



GREATER HYDERABAD MUNICIPAL CORPORATION


No. 296/HS/C13/GHMC/2018

Date: 19.05.2018.

SANITARY CERTIFICATE FOR SANITARY PURPOSE FOR THE YEAR – 2018-2019

This is to certify that **M/s. Academic Heights Public School, Sy.No:78 to 99, Patelguda, Kistareddypet Village, Ameenpur(M), Sanga Reddy District** is having sufficient accommodation for all the classes for the existing number of students taught there and properly ventilated and the building is maintained in good condition, Drinking water is made available in clean receptacles having a lid at the top and tap at the bottom by keeping them same at place with coolers and acquaguards. In all other aspects it is satisfactory. The management should maintain sufficient number of latrines and urinals separately for boys and girls and also for staff. Should be keeping neat and clean.

Any violation of one or all special or general conditions under which the license is granted is liable to be suspended or cancelled as the case may be without any prior notice. In such an event the G.H.M.C. is not liable for damages inconvenience to the license. This is valid from the financial year 2018-2019.


Asst. Medical Officer of Health
Circle No. 13, GHMC, Hyd.
Circle No: 13, GHMC, Hyd.

To,
The Correspondent
M/s. Academic Heights Public School, Sy.No:78 to 99, Patelguda,
Kistareddypet Village, Ameenpur(M), Sanga Reddy District.



**GOVERNMENT OF TELANGANA
STATE DISASTER RESPONSE & FIRE SERVICES DEPARTMENT
NO OBJECTION CERTIFICATE**



From
The Regional Fire Officer Central Region,
State Disaster Response and Fire Services,
Telangana, Hyderabad.

To,
sreenivasa rao,
ACADEMIC HEIGHTS PUBLIC SCHOOL,
SY NO 78 TO 102,
PATELGUDA,
KISTAREDDYPET,
AMEENPUR,
MANDEL,
SANGA REDDY DIST.,

Rc. No.348230002020 Dated:11/08/2021

Sir,

Sub:

TELANGANA STATE DISASTER RESPONSE & FIRE SERVICE DEPARTMENT —Sangareddy Division.
Issue of No Objection Certificate for Occupancy to the Non Multi storeyed Building of academic heights public school ,SY NO 78 TO 102,PATELGUDA,KISTAREDDYPET, AMEENPUR,MANDEL, SANGA REDDY DIST./-Kishtareddipet/Ameenpur/Sangareddy, Hyderabad – Regarding.



Ref:

1. Acknowledgement No348230002020dt.11/08/2021
2. Inspection Committee Report, Acknowledgement No: 348230002020

1. The Multi Storeyed Building Inspection committee, vide reference cited (2) have inspected the Non Multi Storeyed Building of academic heights public school ,SY NO 78 TO 102,PATELGUDA,KISTAREDDYPET, AMEENPUR,MANDEL, SANGA REDDY DIST./-Kishtareddipet/Ameenpur/Sangareddy and submitted the following report.

2.The above building was constructed without obtaining the Provisional Noc from this department and now the builder submitted application for issuance of No Objection Certificate for occupancy to the existing buliding of Ground, 3 Floors, with a height of 13.60 Meters for EDUCATIONAL B-1 Schools up to senior secondary level.

3. Open Spaces : The builder provided the following open spaces all around the building.

Sl.No	Side	Open space Required as per Supreme Court's order on W.P.No.483 of 2004	Open space Provided
1	North	6.00	6.00
2	South	6.00	6.00
3	East	6.00	6.00
4	West	6.00	6.00
5	Front Direction	North	

4. Means of Access :

Sl. No	Gate Width As per NBC 2016	Required	Provided
1	Entry gate width	6.00	6.00
2	Exit Gate Width	6.00	6.00
3	Entry Gate Head Clearance	4.50	6.00
4	Exit Gate Head Clearance	4.50	6.00

5. Travel Distance

Sl. No.	Item / Description	Required (Not More than in Mtrs.)	Provided
1	Farthest point (Most Remote Point) With in a storey or a mezzanine floor to the door to an Exit.	30.00	12.00

The Dead end of the corridor length in exit access. (6 mtrs for Educational, Institutional and Assembly, 15mtrs for other Occupancies)	6.00	5.90
-----------------------------------------------------------------------------------------------------------------------------------------	------	------

6. Stair Cases (As per NBC 2016)

Sl.no.	Type of staircases	Width (In Mtrs)	No of staircases	Floors from	Floors to
1	Internal staircases	2.10	1	Ground	Terrace
2	External staircases	2.15	1	Ground	Terrace

7. Means of Escape Floor Wise Details

Sl.no	Floor type	Buil-up Area in Sq.Mtrs	Type of Occupancy	Occupant Load	Means of escape required as per table 21 of NBC	Means of escape Provided
1	Ground	1020.00	EDUCATIONAL B-1 Schools up to senior secondary level	255.00	2.55	4.25
2	1st Floor	1020.00	EDUCATIONAL B-1 Schools up to senior secondary level	255.00	2.55	4.25
3	2nd Floor	1020.00	EDUCATIONAL B-1 Schools up to senior secondary level	255.00	2.55	4.25
4	3rd Floor	1020.00	EDUCATIONAL B-1 Schools up to senior secondary level	255.00	2.55	4.25

8. Floor Wise details of Fire Fighting Installations.

Sl.no	Floor Details	Fire Extinguisher	Hose Reel	Automatic Sprinklers System	Manually Operated Electronic Fire Alarm System	Automatic detection and alarm system
1	Ground	6.00	2.00	0.00	0.00	0.00
2	1st Floor	6.00	2.00	0.00	0.00	0.00
3	2nd Floor	6.00	2.00	0.00	0.00	0.00
4	3rd Floor	6.00	2.00	0.00	0.00	0.00

9. Fire Fighting Installations as per Table 7 of NBC 2016:

Fire Fighting System.	Required As per NBC	Provided
Fire Extinguishers	24.00	24
First Aid Hose Reel	8.00	8
Terrace Tank over Respective Tower Terrace in Litres	10000.00	25000
Pump Capacity in LPM at the Terrace Tank Level with Minimum Pressure of 3.5 kg/cm ²	450.00	450

10. The builder has provided the following additional Fire Safety Requirements as per NBC of India 2016 as per NBC part 4 of India 2016::

Sl. No	Fire safety Item
1.	Open spaces all around the building are Leveled and have hard open spaces for the operation of fire vehicles.
2.	The upper floors of the educational building are provided with exits for every travel distance of 30 meters (TYPE1 & 2 constructions) as per table5 under clause 4.4.2.1, 4.4.2.2 of Part IV of NBC 2016
3.	The width of all exit door ways has 01-00 meter for class rooms and 02-00 meters in respect of Assembly halls as per clause 8.1 of IS 14435:1997?
4.	The height of exit door ways has 02-00 meters and more, as per clause of 8.2 of IS 14435:1997?
5.	A minimum number of two separate exits are provided for each floor as per clause 6.2 of IS 14435:1997?
6.	The exits shall be remote from each other as practicable as per clause 6.2 of IS 14435:1997?
7.	02 Doorways are provided for every room with a capacity of over 45 persons As per clause 6.2.2(a) of part-IV of NBC-2016

	The Location of Rooms of Preschool, Kindergarten, Class/Grade 1 student are provided at Ground Floor/level and Class/Grade II student at ground or First Floor only.
9.	The building is suitably Compartmented and provided with smoke control measures so that fire / smoke remain confined to the area where fire incident has occurred and does not spread to the remaining part of the building as per Clause 4.5 and 4.6 of part 4 NBC of India 2016.
10	Floor Openings Fire Protection Complied with As per Clause 3.4.5.4
	a) Openings in Service ducts and shafts allowing building services like cables, Electrical wirings, Telephone cables, plumbing pipes etc., shall be protected by enclosure in the form of ducts / shaft having a fire resistant's not less than 120 min.
	b) The inspection door for electrical shafts / ducts shall be not less than 120 min.
	c) Medium and low voltage wiring running in shafts / ducts shall either be armoured type or run through metal conduits.
	d) The space between the electrical cables/conduits and the walls/slabs shall be filled in by a fire stop material having fire resistance rating of not less than 120 min. This shall exclude requirement of fire stop sealing for low voltage services shaft.
	e) For plumbing shafts in the core of the building, with shaft door opening inside the building, the shafts shall have inspection doors having fire resistance rating not less than 30 min..
11	Vertical openings Fire Protection Complied with as per Clause- 3.4.5.6 Every vertical opening between the floors of a building shall be suitably enclosed or protected, as necessary, to provide the following:
	a) Reasonable safety to the occupants while using the means of egress by preventing spread of fire, smoke, or fumes through vertical openings from floor to floor to allow occupants to complete their use of the means of egress. Further it shall be ensured to provide a clear height of 2 100 mm in the exit access.
	b) Limitation of damage to the building and its contents.
12	Electrical safety complied with as per Clause 3.4.6 of part – 4 NBC of India 2016
	a) the wiring and cabling are having flame retardant property. Medium and low voltage wiring running in shafts and within false ceiling shall run in metal conduit. Any 230 V wiring for lighting or other services, above false ceiling, shall have 660 V grade insulation
	b) the electric distribution cables/wiring shall be laid in a separate shaft. The shaft shall be sealed at every floor with fire stop materials having the same fire resistance as that of the floor. High, medium and low voltage wiring running in shaft and in false ceiling shall run in separate shaft/conduits.
	c) water mains, gas pipes, telephone lines, intercom lines or any other service line shall not be laid in the duct for electrical cables; use of bus ducts/solid rising mains instead of cables is preferred.
	d) all metallic items like steel structural members, etc, shall be bonded properly to the earthing system.
13	Lightning protection of buildings is Complied with as per clause – 3.4.6.5
	Routing of down conductors (insulated or uninsulated) of lightning protection through electrical or other service shafts are not allowed as it can create fire and explosion during lightning. For details, see Part 8. Building Services, Section 2 Electrical and Allied Installations' of the Code
14	Escape Lighting and Exit Signage is Complied with as per Clause 3.4.7
	Exit access, exits and exit discharge shall be properly identified, with adequate lighting maintained in the elements of the egress systems so that all occupants shall be able to leave the facility safely.
15	Lighting is Complied with as per Clause – 3.4.7.1
	a) The exit, exit access and exit discharge systems shall be illuminated continuously. The floors of the means of egress shall be illuminated at all points, including angles and intersections, in corridors and passageways, stairwells, landings of stairwells and exit.
	b) Emergency lighting shall be powered from a source independent of that supplying the normal lighting.
	c) The emergency lighting shall be provided to be put on within 5 s of the failure of the normal lighting supply. Also, emergency lighting shall be able to maintain the required illumination level for a period of not less than 90 min in the event of failure of the normal lighting even for smaller premises.
	d) Signs are required at all exits, emergency exits and escape routes, which should comply with the graphic requirements of the relevant Indian Standards
16	Exit passageway (at ground) and staircase lighting is connected to alternative supply. The alternative source of supply may be provided by battery continuously trickle charged from the electric mains as per clause – 3.4.7.2
17	Number of exits, Arrangements of exits and capacities of Means of egress types of exit access and exits etc., complied with Clause 4.4.2 of part – 4 NBC of India 2016
18	Smoke control of exits are complied with Clause 4.4 2.5of part – 4 NBC of India 2016
19	Fire Drills and Fire orders Complied with Clause 4.11 of part – 4 NBC of India 2016

Fire notices/orders shall be prepared to fulfil the requirements of firefighting and evacuation from the buildings in the event of fire and other emergency. The occupants shall be made thoroughly conversant with their action in the event of emergency, by displaying fire notices at vantage points and also through regular training. Such notices should be displayed prominently in bold lettering. For guidelines for fire drills and evacuation procedures for high rise buildings, see Annex D

- 20 Fire extinguishers / fixed fire fighting installations, static water storage tanks and pump house are Complied with Clause 5.1 of part – 4 NBC of India 2016
- 21 Automatic sprinkler installation shall be complied with as per Clause 5.1.3 of part – 4 NBC of India 2016 (If Basement exceeds 200 sq. Mtr. Area)
- 22 Fire Safety plans prepared and submitted by the builder.
- 23 Fire Drills shall be conducted with accordance with the fire safety plan at least once in every 03 months for building during the first 02 Years and there after once in 6 months as per Clause D-3 in annex. D of Part IV NBC of India 2016.

11) In view of the above and as per recommendations of the multistoried building inspection Committee, the No Objection Certificate for occupancy is issued to Multi Storied Building with

Sl No	As Builder	As occupant	As Security Personnel
1	-All the fire protection arrangements shall be maintained in good condition as seen during inspection. -Do's and Don't in case of fire shall be prominently displayed in entire building	All the escape/exit roots shall not be kept locked/blocked or encroached	All the occupants must know the correct method of operation of the fire fighting system installed.
2	Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibility of the management.	All occupants shall be trained to operate the fire safety equipments during emergency.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
3	Addition / alteration, if any in the building may be verified by building authority.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.	All security personnel shall be trained to operate the fire safety equipments during emergency and guiding the occupants in safe evacuation. Call the fire Brigade by dialing 101.
4	This No objection Certificate for occupancy is valid for five year from the date of issue of this letter.	Raise the alarm if the fire cannot be controlled, evacuate the area completely at once from the nearest safe exit.	Attack the fire using available fire equipment only if you feel capable of controlling it. If Not, take all steps to isolate the area by closing doors and windows.

This No Objection Certificate for Occupancy is valid for Five years from the date of issue of this letter. It is the responsibility of the builder to apply for renewal NOC, duly remitting the user charges as per G.O. Ms. No. 71, Home (Prison – A) Department, dated 01-04-2010, two months before expiry of this No Objection Certificate.

Yours Sincerely,
Regional Fire Officer Central Region,
State Disaster Response & Fire Services,
Telangana, Hyderabad.

Copies to:

- i) The Management
- ii) Multistoried Building Inspection Committee
- iii) Copy submitted to Regional Fire officer
- iv) Copy submitted to DG fire services.

"THIS IS COMPUTER GENERATED DOCUMENT AND DO NOT REQUIRE ANY STAMP OR SIGNATURE"

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	ACADEMIC HEIGHTS PUBLIC SCHOOL MEDAK TL
2	AFFILIATION NO.(IF APPLICABLE)	3630288
3	SCHOOL CODE (IF APPLICABLE)	57804
4	COMPLETE ADDRESS WITH PIN CODE	ACADEMIC HEIGHTS PUBLIC SCHOOL, KISTAREDDYPET VILLAGE, AMEENPUR MANDAL, MEDAK, - 502032
5	PRINCIPAL NAME	Mrs D PARIMALA
6	PRINCIPAL QUALIFICATION	MCA MA BEd
7	SCHOOL EMAIL ID	academichightsbeeramguda@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	9618390022

B : DOCUMENTS AND INFORMATION:

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/Mandatory-Public-Disclosure.pdf

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	https://ahpsbeeramguda.com/about-us/fee-structure

2	ANNUAL ACADEMIC CALENDER	https://ahpsbeeramguda.com/wp-content/uploads/2021/06/School-Calendar-AHPS-2021-22.pdf
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	https://ahpsbeeramguda.com/about-us/schoolmanagement-committee
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	https://ahpsbeeramguda.com/about-us/parent-teacher-member-committee
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL	D. PARIMALA
2	TOTAL NO. OF TEACHERS	44
	PGT	0
	TGT	12
	PRT	32
3	TEACHERS SECTION RATIO	1:1.5
4	DETAILS OF SPECIAL EDUCATOR	P. VARUN REDDY
5	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	D.P.G.YOSHA

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1					

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1					

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQ MTR)	12273
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	64 & 2985
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	4 & 268
4	INTERNET FACILITY	YES
5	NO. OF GIRLS TOILETS	30
6	NO. OF BOYS TOILETS	43
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://youtu.be/_1UyQSOmqTM